

2019 DIAGNOSTIC MIX

Texas Rehabilitation Hospital vs. National Average

	Texas Rehab	National Average
Patients Served	1,352	524,478
Stroke %	27.7%	23.8%
Brain Injury %	10%	11.5%
Spinal Cord Injury %	8.4%	5.7%
Total Neurologic %	66.9%	56.7%
Ortho/Multi-trauma	9.4%	10.5%
Hip Fracture %	6.4%	8.2%

2019 PATIENT SATISFACTION

Texas Rehabilitation Hospital vs. Kindred Average

	Texas Rehab	Kindred Average
Responses	246	
Nursing	86.4	85.6
Physical Therapy	94.6	92.3
Occupational Therapy	95.6	92.2
Physician	84.5	82.8
Overall Care	90.9	89.1
Likelihood of Recommending Facility	92.2	88.8

2019 PATIENT SATISFACTION

Texas Rehabilitation Hospital vs. National Average

	Texas Rehab	Freestanding Hospitals
Responses	246	
Nursing	86.4	88.3
Physical Therapy	94.6	93.9
Occupational Therapy	95.6	93.5
Physician	84.5	86.7
Overall Care	90.9	91.4
Likelihood of Recommending Facility	92.2	91.8

2019 OUTCOMES

Texas Rehabilitation Hospital vs. National Average

	All Diagnoses	National Average
Patients Served	1,352	509,155
Case Mix Index (Higher is More Severely Impaired)	1.55	1.34
Average Length of Stay	13.3	14.4
% of Patients Discharged Home	82.3%	76.1%
% of Patients Discharged Back to Acute Care	8.9%	10.2%
% of Patients Discharged to Other (SNF, LTC)	8.8%	13.4%
Functional Independence Measure Score Change (Higher is Better)	38.8	33.4
Length of Stay Efficiency (Higher is Better)	3.28	2.7
Average Age	69.2	69.1
Gender Mix	Male- 49% Female- 51%	Male- 49.7% Female- 50.3%

2019 OUTCOMES

Texas Rehabilitation Hospital vs. National Average

	Stroke Diagnosis	National Average
Patients Served	374	124,875
Case Mix Index (Higher is More Severely Impaired)	1.81	1.53
Average Length of Stay	15.7	17.2
% of Patients Discharged Home	78.8%	69.4%
% of Patients Discharged Back to Acute Care	10.8%	10.9%
Functional Independence Measure Score Change (Higher is Better)	36.1	31.2
Length of Stay Efficiency (Higher is Better)	2.69	2.11
Average Age	67.9	68.5
Gender Mix	Male- 53% Female- 47%	Male- 52.8% Female- 47.2%

2019 OUTCOMES

Texas Rehabilitation Hospital vs. National Average

	Brain Injury Diagnosis	National Average
Patients Served	135	60,634
Case Mix Index (Higher is More Severely Impaired)	1.44	1.31
Average Length of Stay	12.7	14.0
% of Patients Discharged Home	83.3%	74.2%
% of Patients Discharged Back to Acute Care	6.5%	12.9%
Functional Independence Measure Score Change (Higher is Better)	37.5	31.9
Length of Stay Efficiency (Higher is Better)	3.12	2.72
Average Age	68.8	68.2
Gender Mix	Male- 62% Female- 38%	Male- 55% Female- 45%

2019 OUTCOMES

Texas Rehabilitation Hospital vs. National Average

	Spinal Cord Injury Diagnosis	National Average
Patients Served	113	30,033
Case Mix Index (Higher is More Severely Impaired)	1.79	1.53
Average Length of Stay	15.8	18.2
% of Patients Discharged Home	78.5%	71.1%
% of Patients Discharged Back to Acute Care	10.7%	12.4%
Functional Independence Measure Score Change (Higher is Better)	37.8	30.8
Length of Stay Efficiency (Higher is Better)	3.28	2.32
Average Age	62.2	64.6
Gender Mix	Male- 56% Female- 44%	Male- 59% Female- 41%

2019 90 DAY OUTCOMES

Texas Rehabilitation Hospital – 90 Days After Discharge

	All Diagnoses
Patients	776
Case Mix Index (Higher is More Severely Impaired)	1.55
Patients Living in the Community at 90 days	99.1%
Patients with Self-Care Maintenance	94.5%
% of Patients With an All-Cause Re-hospitalization (Within 30 Days)	6.6%
Functional Independence Measure Score	110.2